





Q # 1:

i) $A \subseteq B$







ii) $B \subseteq A$

Just interchange A and B in above case.



iii) $A \cup A'$



Unable to understand, what is this? FALSE
see relationship between A & B at page 39 (of book)

iv) A and B are disjoint
i.e. $A \cap B = \emptyset$







v) A and B are overlapping sets









Q#2:

i) A and B are overlapping set



ii) $A \subseteq B$



ii) $B \subseteq A$ interchange
Do yourself, just ~~replace~~ interchange A and B in above question.

Q#3:

i) $A \cup B = A$
if $B \subseteq A$ or $(B = \emptyset)$

ii) $A \cup B = B$ if $A \subseteq B$

iii) $A - \emptyset = A$ (if $A = \emptyset$)

* Correction

$A - B = \emptyset$ if $A \subseteq B$

iv) $A \cap B = B$ if $B \subseteq A$

v) $n(A \cup B) = n(A) + n(B)$
if $A \cap B = \emptyset$

vi) $n(A \cap B) = n(B)$ if $B \subseteq A$.

$$\text{vii) } A - B = A \text{ if } A \cap B = \emptyset$$

$$\text{viii) } n(A \cap B) = 0 \text{ if } A \cap B = \emptyset$$

$$\text{ix) } A \cup B = U$$

$$\text{if } B = A' \text{ or } A = B'$$

$$\text{x) } A \cup B = B \cup A$$

it is always true.

$$\text{xi) } n(A \cap B) = n(B) \text{ if } B \subseteq A.$$

$$\text{xii) } U - A = \emptyset \text{ if } U = A.$$

Q # 4:

$$U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$

$$A = \{2, 4, 6, 8, 10\}$$

$$B = \{1, 2, 3, 4, 5\}$$

$$C = \{1, 3, 5, 7, 9\}$$

$$\text{i) } A^c = U - A$$

$$= \{1, 3, 5, 7, 9\}$$

$$\text{ii) } B^c = U - B$$

$$= \{6, 7, 8, 9, 10\}$$

$$\text{iii) } A \cup B = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$

$$\text{iv) } A - B = \{6, 8, 10\}$$

$$\text{v) } A \cap C = \{ \} \text{ i.e. } \emptyset$$

$$\text{vi) } A^c \cup C^c = (U - A) \cup (U - C)$$

$$= \{1, 3, 5, 7, 9\} \cup \{2, 4, 6, 8, 10\}$$

$$= \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$$

$$\text{vii) } A^c \cup C = \{1, 3, 5, 7, 9\} \cup \{1, 3, 5, 7, 9\}$$


$$= \{1, 3, 5, 7, 9\}$$

$$\text{viii) } U^c = U - U$$


$$= \emptyset$$

Q # 5:

$$\text{i) } A =$$




$$\text{ii) } A^c =$$



$$= U - A$$

$$\text{iii) } A \cap U =$$



$$= A$$

$$\text{iv) } A \cup U = U$$

$$\text{v) } A \cup \emptyset = A \quad \text{vi) } \emptyset \cap \emptyset = \emptyset$$

Q # 6:

This is a very good question but there is no condition on A and B like in Q # 1 and 2. The conditions are the following

$$\text{i) } A \subseteq B \quad \text{ii) } B \subseteq A$$


$$\text{iii) } A \text{ and } B \text{ are disjoint i.e. } A \cap B = \emptyset$$

$$\text{iv) } A \text{ and } B \text{ are overlapping.}$$


We only discuss last condition. You may solve others yourself.

i) $A - B = A \cap B^c$ *Correction


A:




B:



B^c :




$A - B$:



(i)

$A \cap B^c$:




(ii)


From (i) & (ii) $A - B = A \cap B^c$

ii) $(A - B)^c \cap B = B$


$A - B$:



$(A - B)^c$:



$(A - B)^c \cap B$:




= B


proved

Note: For the sake of beauty, we draw sets as circular region, otherwise we can draw any close region to show set, e.g.

A:



B:



~ x ~ a ~ a ~ a ~ a ~
 —: END:—

To download notes of other exercises visit:

<http://www.MathCity.org>

MCQs, model papers and old papers are also available.

